VOLUME 9 1987

SUBJECT INDEX

A2317, 99
  calcium ions
  in vitro
  neurobehavioral effects
Active avoidance, 213
  benzodiazepine binding sites
  diazepam
  passive avoidance
  perinatal exposure
  postnatal exposure
Acoustic startle reflex, 17
  alcohol
  behavioral teratology
  Fetal Alcohol Syndrome
  prenatal exposure
  prepulse inhibition
Adolescent behavior, 9
  caffeine
  diazepam
  neonatal administration
  neonatal behavior
Age differences
  differential effects, 107
  dose differences, 39
  growth, 107
  locomotor activity, 39
  methylphenidate, 107
  nipple attachment, 39
  prenatal exposure, 39
  delta-9-tetrahydrocannabinol, 39
Aggression, 87
  behavior, social
  methylmercuric chloride
  prenatal exposure
Alcohol
  acoustic startle reflex, 17
  behavioral teratology, 17
  birthweight, 79
  blood ethanol concentrations, 243
  caffeine, 79
  cannabis, 79
  cimetidine, 23
  differential deficits, 129
  drug differences, 1
  drug interactions, 1
  Fetal Alcohol Syndrome, 17, 129
  genitalia development 23
  growth, 79
  human studies, 1, 79
  low risk population, 1
  marihuana, 1
  microencephaly, 129
  neonates, 283
  neonatal behavioral correlates, 1
  nicotine, 1
  postnatal administration, 129
  postnatal exposure, 243
  prenatal exposure, 1, 17, 23, 79, 283
  prepulse inhibition, 17
  regional brain growth, 129
  sensorimotor development alterations, 243
  sex differences, 23
  thermoregulation, 283
  thermotaxic behavior, 283
  tobacco, 79
Amphetamine, 113
  catecholamines
  fetal alcohol exposure
  hyperactivity
  undernutrition
Apparatus
  Biel maze, 235
  Cincinnati maze, 235
  Fox test battery, 179
  Morris maze, 253
  Morris water-tank, 253
  thermocline, 283
  Vagal Tone Monitor, 197
Autonomic nervous system, 197
  blood cholinesterase
  dichlorvos neurotoxicity
  dogs
  tone monitoring
Avoidance, 339
  dietary cadmium
  ethanol self-administration
  extinction
  stress
Avoidance-escape behavior, 377
  cholinesterase activity
  soman
  subchronic administration

Baseline level of responding, 387
  pyrethroid insecticide
  schedule-controlled behavior
Behavior, social, 87
  aggression
  methylmercuric chloride
  prenatal exposure
Behavior test studies, 465
  neurobehavioral testing
  psychoneuroendocrinology
Behavioral dysfunctions, 417
  CNS injury systems
  neurotoxicity
Behavioral indices
  identification/characterization of neurotoxicity, 427
  neurotoxicity measurement, 427, 445
Behavioral studies, 411
  conventional toxicity studies
  interpretation of effects
  neurotoxic data assessment
Behavioral teratology
  acoustic startle reflex, 17
  alcohol, 17
  benzodiazepines, 179
  data analysis, 179
  Fetal Alcohol Syndrome, 17
  prenatal exposure, 17, 179
  prepulse inhibition, 17
  test choice, 179
Behavioral toxicology
  experimental approach, 157
  methodological approach, 161
  monkeys, 161
  neurotoxicants, 161
  rodent pups, 157
  ultrasonic vocalizations, 157
Benzodiazepine binding sites, 213
  active avoidance
  diazepam
  passive avoidance
  perinatal exposure
  postnatal exposure
Benzodiazepines, 179
  behavioral teratology
  data analysis
  prenatal exposure
  test choice
Birthweight
  alcohol, 79
  caffeine, 79
  cannabis, 79
  growth, 79
  human studies, infants, 79, 311
  in-utero methadone, 311
  perinatal/developmental outcome, 311
  prenatal exposure, 79
  tobacco, 79
Blood cholinesterase, 197
  autonomic nervous system
  dichlorvos neurotoxicity
  dogs
  tone monitoring
Blood ethanol concentrations, 243
  alcohol
  postnatal exposure
  sensorimotor development alterations
Brain
  brain stem, 67
  cerebellum, 213
  cortex, 213
  dentate gyrus, 33, 129, 359
  frontal cortex, 321, 369
  hippocampus, 33, 67, 129, 213, 321, 359
  hypothalamus, 321, 369
  medulla oblongata, 369
  midbrain, 369
  midsagittal cerebellum, 129
  neostriatum, 277
  pituitary, 145
  pyramidal cell layer, 359
  sensorimotor cortex, 145
  striatum, 369
  striatum griseum centrale, 67
Brain damage correlation, 145
  in utero exposure
  irradiation
  postnatal motor behavior
Brain maturation, 271
  nerve growth factor
  neurobehavioral development
Brainstem auditory evoked potential, 59
  ototoxicity
  theophylline
Brains, rats, 369
  catecholamine concentrations
  dose-dependent effects
  metabolite concentrations
  methyl bromide

Caffeine
  adolescent behavior, 9

alcohol, 79
birthweight, 79
cannabis, 79
diazepam, 9
growth, 79
human studies, 79
neonatal administration, 9
neonatal behavior, 9
prenatal exposure, 79
tobacco, 79
Calcium ions, 99
A2317
in vitro
neurobehavioral effects
Cannabis, 79
alcohol
birthweight
caffeine
growth
human studies
prenatal exposure
tobacco
Carbon monoxide
carboxyhemoglobin, 151, 221, 227, 345
compensatory tracking, 227
event monitoring, 227
fixed-ratio performance, 221
human studies, males, 227
intraperitoneal injection, 221
maze performance, 151
neostriatal development, 277
neostriatum, 277
perinatal exposure, 277
screen-test performance, 221
symptoms of carbon monoxide poisoning, 345
Carboxyhemoglobin
carbon monoxide, 151, 221, 227, 345
compensatory tracking, 227
event monitoring, 227
fixed-ratio performance, 221
human studies, males, 227
intraperitoneal injection, 221
maze performance, 151
screen-test performance, 221
symptoms of carbon monoxide poisoning, 345
Cardiorespirograph, 305
creatine phosphokinase
infant drug addiction
Catecholamine concentrations, 369
brains, rats
dose-dependent effects
metabolite concentrations
methyl bromide
Catecholamines, 113
amphetamine
fetal alcohol exposure
hyperactivity
undernutrition
Cell excitability, 33
dentate gyrus
granule cells
in vitro
trimethyltin
Child abuse, 315
foster care
infants of drug addicts
neglect
Child development, 259
fetal lead exposure
human studies, children
preschool intelligence
Cholinesterase activity, 377
avoidance-escape behavior
soman
subchronic administration
Chronic exposure, 171
discrimination learning
functional tolerance
motor activity
peripheral nerve conduction velocity
trichloroethylene
Cimetidine, 23
alcohol
genitalia development
prenatal exposure
sex differences
CNS injury systems, 417
behavioral dysfunctions
neurotoxicity
Cocaine
down regulation, 301
neonatal effects, 291
perinatal addiction, 301
placenta, human, 301
postnatal effects, 295
prenatal effects, 295
prenatal exposure, 291, 295
Colonic temperature, 193
lead intoxication
thermoregulation
Compensatory tracking, 227
carbon monoxide
carboxyhemoglobin
event monitoring
human studies, males
Conditioned taste aversion, 75
radiation
vagotomy, subdiaphragmatic
Conventional toxicity studies, 411
behavioral studies
interpretation of effects
neurotoxic data assessment
Creatine phosphokinase, 305
cardiorespirograph
infant drug addiction

Data analysis, 179
behavioral teratology
benzodiazepines
prenatal exposure
test choice
Dentate gyrus, 33
cell excitability
granule cells
in vitro
trimethyltin
Diazepam
active avoidance, 213
adolescent behavior, 9
benzodiazepine binding sites, 213
caffeine, 9
neonatal administration, 9
neonatal behavior, 9
passive avoidance, 213
perinatal exposure, 213
postnatal exposure, 213
Dichlorvos neurotoxicity, 197
autonomic nervous system
blood cholinesterase
dogs
tone monitoring
Dietary cadmium, 339
avoidance
ethanol self-administration
extinction
stress
Dietary restriction, 203
neurobehavior
neurophysiological parameters
Differential deficits, 129
alcohol
Fetal Alcohol Syndrome
microencephaly
postnatal administration
regional brain growth
Differential effects, 107
age differences
growth
methylphenidate
Discrimination learning, 171
chronic exposure
functional tolerance
motor activity
peripheral nerve conduction velocity
trichloroethylene
Dogs, 197
autonomic nervous system
blood cholinesterase
dichlorvos neurotoxicity
tone monitoring
Dose-dependent effects, 369
brains, rats
catecholamine concentrations
metabolite concentrations
methyl bromide
Dose differences
age differences, 39
embryotoxicity, 45
growth rate, 45
locomotor activity, 39
maternal nutrition, 45
nipple attachment, 39
prenatal exposure, 39, 45
delta-9-tetrahydrocannabinol, 39, 45
Down regulation, 301
cocaine
perinatal addiction
placenta, human
Drug
A23187, 99
alcohol, 1, 17, 23, 79, 113, 129, 243, 283
allethrin, 27
amphetamine, 113
d-amphetamine, 67
caffeine, 9, 79
cannabis, 79
carbon monoxide, 151, 221, 227, 277, 345
chlorpromazine, 67
cimetidine, 23
cocaine, 291, 295, 301
cypermethrin, 387
cytochrome, 271
deltamethrin, 27
diazepam, 9, 213
dichlorvos, 197
ethanol, 121, 339, 349
fenvalerate, 27
lead, 51, 161, 259
lead acetate, 193
marihuana, 1
methadone, 311
methyl bromide, 369

methylmercuric chloride, 87
methylmercury, 161
methylphenidate, 107
morphine, 67
nicotine, 1, 95
permethrin, 27, 387
phenytoin, 235
soman, 377
delta-9-tetrahydrocannabinol, 39, 45, 321
theophylline, 59
tobacco, 79
trichloroethylene, 171
triethyltin, 67
trimethyltin, 33, 67, 329, 359
WR-2721, 333
Drug comparisons, 27
operant behavior, food maintained
pyrethroid insecticides
Drug differences, 1
alcohol
drug interactions
human studies
low risk population
marihuana
neonatal behavioral correlates
nicotine
prenatal exposure
Drug interaction
alcohol, 1
drug differences, 1
human studies, 1
low risk population, 1
marihuana, 1
neonatal behavioral correlates, 1
nicotine, 1
pigeons, 67
prenatal exposure, 1
schedule-controlled behavior, 67
trialkyltins, 67

Embryotoxicity, 45
dose differences
growth rate
maternal nutrition
prenatal exposure
delta-9-tetrahydrocannabinol
Environment, 403
model selection
neurobehavioral dysfunction
traditional toxicological screens
Ethanol, 121
intraperitoneal administration
prenatal exposure
sensorimotor maturation
Ethanol self-administration, 339
avoidance
dietary cadmium
extinction
stress
Event monitoring, 227
carbon monoxide
carboxyhemoglobin
compensatory tracking
human studies, males
Evoked potentials, 359
hippocampus
population spike amplitude
trimethyltin
Experimental approach, 157
behavioral toxicology
rodent pups
ultrasonic vocalizations
Extinction, 339
avoidance
dietary cadmium
ethanol self-administration
stress

Fetal alcohol effects, 349
in utero ethanol levels
locomotor activity
passive avoidance
strain differences
Fetal alcohol exposure, 113
amphetamine
catecholamines
hyperactivity
undernutrition
Fetal Alcohol Syndrome
acoustic startle reflex, 17
alcohol, 17, 129
behavioral teratology, 17
differential deficits, 129
microencephaly, 129
postnatal administration, 129
prenatal exposure, 17
prepulse inhibition, 17
regional brain growth, 129
Fetal lead exposure, 259
child development
human studies, children
preschool intelligence
Fixed-ratio performance, 221
carboxyhemoglobin
carbon monoxide
intraperitoneal injection
screen-test performance
Food deprivation, 363
formulation
2,4-D neurobehavioral toxicity
Formulation, 363
food deprivation
2,4-D neurobehavioral toxicity
Foster care, 315
child abuse
infants of drug addicts
neglect
Functional tolerance, 171
chronic exposure
discrimination learning
motor activity
peripheral nerve conduction velocity
trichlorethylene

Genitalia development, 23
alcohol
cimetidine
prenatal exposure
sex differences
Granule cells, 33
cell excitability
dentate gyrus
in vitro
trimethyltin
Growth
age differences, 107
alcohol, 79
birthweight, 79
caffeine, 79
cannabis, 79
differential effects, 107
human studies, 79
methylphenidate, 107
prenatal exposure, 79
tobacco, 79
Growth rate, 45
dose differences
embryotoxicity
maternal nutrition
prenatal exposure
delta-9-tetrahydrocannabinol

Hippocampal dysfunction, 253
prenatal alcohol exposure
spatial navigation
Hippocampus, 359
evoked potentials
population spike amplitude
trimethyltin
Human studies
alcohol, 1, 79
birthweight, 79
caffeine, 79
cannabis, 79
drug differences, 1
drug interactions, 1
growth, 79
low risk population, 1
marihuana, 1
neonatal behavioral correlates, 1
nicotine, 1
prenatal exposure, 1, 79
tobacco, 79
Human studies, children, 359
child development
fetal lead exposure
preschool intelligence
Human studies, infants, 311
birthweight
in-utero methadone
perinatal/developmental outcome
Human studies, males, 227
carbon monoxide
carboxyhemoglobin
compensatory tracking
event monitoring
Hyperactivity, 113
amphetamine
catecholamines
fetal alcohol exposure
undernutrition

Identification/characterization of neurotoxicity, 427
behavioral indices
neurotoxicity measurement
Infant drug addiction, 305
cardiorespirograph
creatine phosphokinase
Infants of drug addicts, 315
child abuse
foster care
neglect
Interpretation of effects, 411
behavioral studies
conventional toxicity studies
neurotoxic data assessment
Intraperitoneal injection
carboxyhemoglobin, 221
carbon monoxide, 221

ethanol, 121
fixed-ratio performance, 221
prenatal exposure, 121
screen-test performance, 221
sensorimotor maturation, 121
In utero ethanol levels, 349
fetal alcohol effects
locomotor activity
passive avoidance
strain differences
In utero exposure, 145
brain damage correlation
irradiation
postnatal motor behavior
In-utero methadone, 311
birthweight
human studies, infants
perinatal/developmental outcome
In vitro
A2317, 99
calcium ions, 99
cell excitability, 33
dentate gyrus, 33
granule cells, 33
neurobehavioral effects, 99
trimethyltin, 33
Irradiation, 145
brain damage correlation
in utero exposure
postnatal exposure

Lactation, 51
lead
low level exposure
play fighting
rats, juvenile
social investigation
Lead, 51
lactation
low level exposure
play fighting
rats, juvenile
social investigation
Lead intoxication, 193
colonic temperature
thermoregulation
Locomotor activity
age differences, 39
dose differences, 39
fetal alcohol effects, 349
in utero ethanol levels, 349
nipple attachment, 39
passive avoidance, 349
prenatal exposure, 39
strain differences, 349
delta-9-tetrahydrocannabinol, 39
Low level exposure, 51
lactation
lead
play fighting
rats, juvenile
social investigation
Low risk population, 1
alcohol
drug differences
drug interactions
human studies
marihuana
neonatal behavioral correlates
nicotine
prenatal exposure

Marihuana, 1
alcohol
drug differences
drug interactions
human studies
low risk population
neonatal behavioral correlates
nicotine
prenatal exposure
Maternal nutrition, 45
dose differences
embryotoxicity
growth rate
prenatal exposure
delta-9-tetrahydrocannabinol
Maze learning, 235
performance comparisons
phenytoin
prenatal exposure
Maze performance, 151
carbon monoxide exposure
carboxyhemoglobin
Metabolite concentrations, 369
brains, rats
catecholamine concentrations
dose-dependent effects
methyl bromide
Method
reverse-phase high performance liquid chromatography, 369
Timm histochemical technique, 129
Methodological approach, 161
behavioral toxicology
monkeys
neurotoxicants
Methyl bromide, 369
brains, rats
catecholamine concentrations
dose-dependent effects
metabolite concentrations
Methylmercuric chloride, 87
aggression
behavior, social
prenatal exposure
Methylphenidate, 107
age differences
differential effects
growth
Microencephaly, 129
alcohol
differential deficits
Fetal Alcohol Syndrome
postnatal administration
regional brain growth
Model selection, 403
environment
neurobehavioral dysfunction
traditional toxicological screens
Monkeys, 161
behavioral toxicology
methodological approach
neurotoxicants
Motor activity, 171
chronic exposure
discrimination learning
functional tolerance
peripheral nerve conduction velocity
trichloroethylene

Neglect, 315
child abuse
foster care
infants of drug addicts
Neonatal administration
adolescent behavior, 9
caffeine, 9
diazepam, 9
neonatal behavior, 9
neurochemical response, 321
rats, adult, 321
stress, 321
delta-9-tetrahydrocannabinol, 321
Neonatal behavior, 9
adolescent behavior
caffeine
diazepam
neonatal administration
Neonatal behavioral correlates, 1
alcohol
drug differences
drug interactions
human studies
low risk population
marihuana
nicotine
prenatal exposure
Neonatal effects, 291
cocaine
prenatal exposure
Neonates, 283
alcohol
prenatal exposure
thermoregulation
thermotoxic behavior
Neostriatal development, 277
carbon monoxide
neostriatum
perinatal exposure
Neostriatum, 277
carbon monoxide
neostriatal development
perinatal exposure
Nerve growth factor, 271
brain maturation
neurobehavioral development
Neurobehavior, 203
dietary restrictions
neurophysiological parameters
Neurobehavioral development 271
brain maturation
nerve growth factor
Neurobehavioral dysfunction, 403
environment
model selection
traditional toxicological screens
Neurobehavioral effects, 99
A2317
calcium ions
in vitro
Neurobehavioral testing, 465
behavior test studies
psychoneuroendocrinology
2,4-D Neurobehavioral toxicity, 363
food deprivation
formulation
Neurochemical response, 321
neonatal administration
rats, adult
stress
delta-9-tetrahydrocannabinol
Neuromotor effects, 333
radioprotection
UR-2721

Neurophysiological parameters, 203
dietary restriction
neurobehavior
Neurotoxic data assessment, 411
behavioral studies
conventional toxicity studies
interpretation of effects
Neurotoxicants, 161
behavioral toxicology
methodological approach
monkeys
Neurotoxicity
behavioral dysfunctions, 417
behavioral indices, 445
CNS injury systems, 417
Neurotoxicity measurement, 427
behavioral indices
identification/characterization of neurotoxicity
Nicotine
alcohol, 1
drug differences, 1
drug interactions, 1
human studies, 1
low risk population, 1
marihuana, 1
neonatal behavioral correlates, 1
perinatal exposure, 95
plasma LH levels, 95
prenatal exposure, 1
prepubertal development, 95
Nipple attachment, 39
age differences
dose differences
locomotor activity
prenatal exposure
delta-9-tetrahydrocannabinol

Operant behavior, food maintained, 27
drug comparisons
pyrethroid insecticides
Ototoxicity
brainstem auditory evoked potential, 59
rats, albino, 329
reflex modification audiometry, 329
theophylline, 59
trimethyltin, 329

Passive avoidance
active avoidance, 213
benzodiazepine binding sites, 213
diazepam, 213
fetal alcohol effects, 349
in utero ethanol levels, 349
locomotor activity, 349
perinatal exposure, 213
postnatal exposure, 213
strain differences, 349
Peptide
nerve growth factor, 271
Performance comparisons, 235
maze learning
phenytoin
prenatal exposure
Perinatal addiction, 301
cocaine
down regulation
placenta, human
Perinatal development, 95
nicotine
plasma LH levels
prepubertal development
Perinatal/developmental outcome, 311
birthweight
human studies, infants
in-utero methadone
Perinatal exposure
active avoidance, 213
benzodiazepine binding sites, 213
carbon monoxide, 277
diazepam, 213
neostriatal development 277
neostriatum, 277
passive avoidance, 213
postnatal exposure, 213
Peripheral nerve conduction velocity, 171
chronic exposure
discrimination learning
functional tolerance
motor activity
trichlorethylene
Phenytoin, 235
maze learning
performance comparisons
prenatal exposure
Pigeons, 67
drug interaction
schedule-controlled behavior
trialkyltins
Placenta, human, 301
cocaine
down regulation
perinatal addiction
Plasma LH levels, 95
nicotine
perinatal exposure
prepubertal development
Play fighting, 51
lactation
lead
low level exposure
rats, juvenile
social investigation
Population spike amplitude, 359
evoked potentials
hippocampus
trimethyltin
Postnatal administration, 129
alcohol
differential deficits
Fetal Alcohol Syndrome
microencephaly
regional brain growth
Postnatal effects, 295
cocaine
prenatal effects
prenatal exposure
Postnatal exposure
active avoidance, 213
alcohol, 243
benzodiazepine binding sites, 213
blood ethanol concentrations, 243
brain damage correlation, 145
diazepam, 213
in utero exposure, 145
irradiation, 145
passive avoidance, 213
perinatal exposure, 213
sensorimotor development alterations, 243
Prenatal alcohol exposure, 253
hippocampal dysfunction
spatial navigation
Prenatal effects, 295
cocaine
postnatal effects
prenatal exposure
Prenatal exposure
acoustic startle reflex, 17
age differences, 39
agression, 87
alcohol, 1, 17, 23, 79, 283
behavoral teratology, 17, 179
behavior, social, 87
benzodiazepines, 179
birthweight, 79
caffeine, 79
cannabis, 79
cimetidine, 23
cocaine, 291, 295
data analysis, 179
dose differences, 39, 45
drug differences, 1
drug interactions, 1
embryotoxicity, 45
ethanol, 121
Fetal Alcohol Syndrome, 17
genitalia development 23
growth, 79
growth rate, 45
human studies, 1, 79
intraperitoneal administration, 121
locomotor activity, 39
low risk population, 1
marihuana, 1
maternal nutrition, 45
maze learning, 235
methylmercuric chloride, 87
neonatal behavioral correlates, 1
neonatal effects, 291
neonates, 283
nicotine, 1
nipple attachment, 39
performance comparisons, 235
phenytoin, 235
postnatal effects, 295
prenatal effects, 295
prepulse inhibition, 17
sensorimotor maturation, 121
sex differences, 23
test choice, 179
delta-9-tetrahydrocannabinol, 45
thermoregulation, 283
thermotaxic behavior, 283
tobacco, 79
Prepubertal development, 95
nicotine
perinatal exposure
plasma LH levels
Prepulse inhibition, 17
acoustic startle reflex
alcohol
behavioral teratology
Fetal Alcohol Syndrome
prenatal exposure
Preschool intelligence, 259
child development
fetal lead exposure
human studies, children
Psychoneuroendocrinology, 465
behavior test studies
neurobehavioral testing
Pyrethroid insecticide

baseline level of responding, 387
drug comparisons, 27
operant behavior, food maintained, 27
schedule-controlled behavior, 387

Radiation, 75
conditioned taste aversion
vagotomy, subdiaphragmatic
Radioprotection, 333
neuromotor effects
WR-2721
Rats, adult, 321
neonatal administration
neurochemical response
stress
delta-9-tetrahydrocannabinol
Rats, albino, 329
ototoxicity
reflex modification audiometry
trimethyltin
Rats, juvenile, 51
lactation
lead
low level exposure
play fighting
social investigation
Reflex modification audiometry, 329
ototoxicity
rats, albino
trimethyltin
Regional brain growth, 129
alcohol
differential deficits
Fetal Alcohol Syndrome
microencephaly
postnatal administration
Rodent pups, 157
behavioral toxicology
experimental approach
ultrasonic vocalizations

Schedule-controlled behavior
baseline of responding, 387
drug interaction, 67
pigeons, 67
pyrethroid insecticide, 387
trialkyltins, 67
Screen-test performance, 221
carboxyhemoglobin
carbon monoxide
fixed-ratio performance
intraperitoneal injection
Sensorimotor development alterations, 243
alcohol
blood ethanol concentrations
postnatal exposure
Sensorimotor maturation, 121
ethanol
intraperitoneal administration
prenatal exposure
Sex differences, 23
alcohol
cimetidine
genitalia development
prenatal development
Social investigation, 51
lactation
lead
low level exposure
play fighting
rats, juvenile
Soman, 377
avoidance-escape behavior
cholinesterase activity
subchronic administration
Spatial navigation, 253
hippocampal dysfunction
prenatal alcohol exposure
Strain differences, 349
fetal alcohol effects
in utero ethanol levels
locomotor activity
passive avoidance
Stress
avoidance, 339
dietary cadmium, 339
ethanol self-administration, 339
extinction, 339
neonatal administration, 321
neurochemical response, 321
rats, adult, 321
delta-9-tetrahydrocannabinol, 321
Subchronic administration, 377
avoidance-escape behavior
cholinesterase activity
soman
Symptoms of carbon monoxide poisoning, 345
carbon monoxide
carboxyhemoglobin

Test choice, 179
behavioral teratology
benzodiazepines
data analysis
prenatal exposure
delta-9-Tetrahydrocannabinol
age differences, 39
dose differences, 39, 45
embryotoxicity, 45
growth rate, 45
locomotor activity, 39
maternal nutrition, 45
neonatal administration, 321
neurochemical response, 321
nipple attachment, 39
prenatal exposure, 39, 45
rats, adult, 321
stress, 321
Theophylline, 59
brainstem auditory evoked potential
ototoxicity
Thermoregulation
alcohol, 283
colonic temperature, 193
lead intoxication, 193
neonates, 283
prenatal exposure, 283
thermotaxic behavior, 283
Thermotaxic behavior, 283
alcohol
neonates
prenatal exposure
thermoregulation
Tobacco, 79
alcohol
birthweight
caffeine
cannabis
growth
human study
prenatal exposure
Tone monitoring, 197
autonomic nervous system
blood cholinesterase
dichlorvos neurotoxicity
dogs
Traditional toxicological screens, 403
environment
model selection
neurobehavioral dysfunction
Trialkyltins, 67
drug interaction
pigeons
schedule-controlled behavior
Trichloroethylene, 171
chronic exposure
discrimination learning
functional tolerance
motor activity
peripheral nerve conduction velocity
Trimethyltin
cell excitability, 33
dentate gyrus, 33
evoked potentials, 359
granule cells, 33
hippocampus, 359
in vitro, 33
ototoxicity, 329
population spike amplitude, 359
rats, albino, 329
reflex modification audimetry, 329

Ultrasonic vocalizations, 157
behavioral toxicology
experimental approach
rodent pups
Undernutrition, 113
amphetamine
catecholamines
fetal alcohol exposure
hyperactivity

Vagotomy, subdiaphragmatic, 75
conditioned taste aversion
radiation

WR-2721, 333
neuromotor effects
radioprotection

AUTHOR INDEX

Adams, P. M., 213
Albee, R. R., 203
Alleva, E., 179, 271
Aloe, L., 271
Andrews, K., 339
Annau, Z., 151
Armstrong, D. L., 359

Baker, D. M., 339
Balster, R. L., 221
Barnhart, J. E., 107
Barton, C. N., 227
Beckstead, J. W., 283
Benignus, V. A., 227, 345
Berntson, G. G., 17
Bignami, G., 179
Blanchard, B. A., 113, 253
Bloom, A. S., 27
Brake, S. C., 39, 45
Bratton, G. R., 339
Breen, T. J., 221
Brocco, M. J., 67
Brodie, R. E., 99
Burns, K. A., 291
Burns, W. J., 291

Cagiano, R., 157
Calamandrei, G., 271
Callaway, C. W., 397
Carr, L. A., 95
Case, M. W., 345
Chang, C.-L., 333
Chang, L. W., 67, 203
Chasnoff, I. J., 291
Chiarotti, F., 179
Church, M. W., 59
Cork, A. E., 359
Costa, L. G., 33
Crofton, K. M., 387
Cuomo, V., 157

Dellinger, J. A., 197
De Salvia, M. A., 157
Dudek, B. C., 349

Eastman, C. L., 329
Ehrlich, S., 295
Ehrlich, S. M., 315
Ernhart, C. B., 259

Fantasia, M. A., 339
Fechter, L. D., 277, 329
File, S. E., 9
Finnegan, L., 295
Finnegan, L. P., 311, 315
Fisher, K. D., 395
Fried, P. A., 1, 79

Geller, I., 377
Gilliam, D. M., 349
Gordon, C. J., 193

Hannigan, J. H., 113, 253
Highfill, J., 193
Hoffmann, H., 121
Holloway, W. R., Jr., 51
Hong, J. S., 321
Honma, T., 369
Hulebak, K. L., 187
Hulsether, S. A., 243
Hunt, W. A., 75
Hutchings, D. E., 39, 45, 397

Idemudia, S. O., 67

Janigro, D., 33
Johnson, J. H., 321
Johnson, K. M., 213

Kafer, E. R., 345
Kaltenbach, K., 311
Karpa, M. D., 277
Kelly, S. J., 243
Kimler, B. F., 145
Knapp, D. K., 305
Knisely, J. S., 221
Koritz, G. D., 197
Korol, B. A., 87
Kresbach, P., 305
Kulig, B. M., 171

Lasalle, E., 39, 45
Lauer, J. A., 213
Lee, A. G., 277
Lee, J., 75
Leukroth, R. W., Jr., 395
Lin, C.-H., 333
Liu, C.-Y., 333
Liu, R.-F., 333
Liu, W.-F., 333

McGivern, R. F., 23
McKiernan, B. C., 197
McMillan, D. E., 67

Ma, C., 333
Mailman, R. B., 417
Makin, J. E., 1
Marler, M. R., 259
Maselli, M. A., 157
Mattsson, J. L., 203
Meyer, D. C., 95
Miyagawa, M., 369
Mokler, D. J., 321
Molina, J. C., 121
Montemayor, F., 359
Morgan, B., 39, 45
Morrow-Tlucak, M., 259
Muller, K. E., 227, 345

Nation, J. R., 339
Norton, S., 145

O'Connell, C. M., 79
O'Donnell, M., 99
Ostrea, E. M., Jr., 305

Peele, D. B., 387
Pierce, D. R., 129
Pizzi, W. J., 107
Plotnikoff, N. P., 465
Potter, B. M., 17
Prah, J. D., 227
Proctor, B., 277

Quander, Y., 99

Rabin, B. M., 75
Read, H. L., 359
Rees, D. C., 221
Regan, D. O., 315
Rice, D. C., 161
Richardson, B. C., 197
Riley, E. P., 113, 253, 283, 349
Robinson, S. E., 321
Rode, E. C., 107
Rosecrans, J. A., 321
Royalty, J., 87
Ryan, L., 295

Salay, J. M., 221
Santo, L., 157
Sato, M., 369
Sawa, A., 377
Schnoll, S. H., 301
Schulze, G. E., 363
Sette, W. F., 411
Shi, T., 39, 45
Shih, J.-H., 333
Shucard, D. W., 59
Simkowski, K., 305
Sobotka, T. J., 99, 397
Sonderegger, T. B., 289
Spear, L. P., 121
Spear, N. E., 121
Stavinoha, W. B., 377
Stein, E. A., 27
Steinberg, M., 403
Stilman, A., 349
Storm, J. E., 277

Taylor, G. T., 87
Thor, D. H., 51
Tilson, H. A., 427

Vorhees, C. V., 235, 445

Walczak, C., 27
Wang, C. H., 301
Washburn, M., 27
Wayner, M. J., 359
Wenger, G. R., 67
West, G. L., 99
West, J. R., 129, 243
Wolf, A. W., 259
Womac, C., 339
Workman, R. A., 193
Wu, M.-T., 333

Yano, B. L., 203
Young, J. S., 329

Zimmerberg, B., 283